



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Geoff Klein  
TDEC-DWS  
200 East Race St  
Knoxville, TN 37763

**Lab ID:** N00004525  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
Analytical Supervisor

Lab-Sample Number: N00004525001  
Project Name:  
Sample Description: KINGSTON WTP  
Sampler Project Name:  
Project Site No.: RAW  
Station No.:  
Date/Time Collected: 05/18/2009 08:35  
Sampler's Name: BRANDY LONG  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 05/18/2009 11:45  
Received By: L Barrociere

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	65	mg/L	3.8	10	M Chen	5/19/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	54	mg/L	0.7	1	P Leathers	5/19/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected

Lab-Sample Number: N00004525002  
Project Name:  
Sample Description: KINGSTON WTP  
Sampler Project Name:

Project Site No.: FINISH

Station No.:

Date/Time Collected: 05/18/2009 08:40

Sampler's Name: BRANDY LONG

County: ROANE - 73

Sample Matrix: Water

EFO: Knoxville

Sampling Agency: TDEC-DWS

Billing Code: 327.39-12

Send Report To: TDEC-DWS

Agency Invoiced: TDEC-DWS

Priority Date:

Date/Time Received: 05/18/2009 11:45

Received By: L Barrociere

**Field Determinations**

pH:

Chlorine, residual:

Conductivity:

Temperature:

Dissolved Oxygen:

Other:

Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	63	mg/L	3.8	10	M Chen	5/19/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	51	mg/L	0.7	1	P Leathers	5/19/2009

J - Estimated value between MDL and MQL

MDL - Method Detection Limit

MQL - Method Quantitation Limit

U - Undetected

**Lab-Sample Number:** N00004525003  
**Project Name:**  
**Sample Description:** ROCKWOOD WTP  
**Sampler Project Name:**  
**Project Site No.:** RAW  
**Station No.:**  
**Date/Time Collected:** 05/18/2009 09:20  
**Sampler's Name:** BRANDY LONG  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 05/18/2009 11:45  
**Received By:** L Barrociere

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Alkalinity, Total			METHOD: EPA 310.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	78	mg/L	3.8	10	M Chen	5/19/2009

TEST: Hardness, Calcium			METHOD: SM 3500-Ca D			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	58	mg/L	0.7	1	P Leathers	5/19/2009

**J - Estimated value between MDL and MQL**  
**MDL - Method Detection Limit**  
**MQL - Method Quantitation Limit**  
**U - Undetected**

Lab-Sample Number: N00004525004  
Project Name:  
Sample Description: ROCKWOOD WTP  
Sampler Project Name:  
Project Site No.: FINISH  
Station No.:  
Date/Time Collected: 05/18/2009 09:25  
Sampler's Name: BRANDY LONG  
County: ROANE - 73  
Sample Matrix: Water  
EFO: Knoxville  
Sampling Agency: TDEC-DWS  
Billing Code: 327.39-12  
Send Report To: TDEC-DWS  
Agency Invoiced: TDEC-DWS  
Priority Date:  
Date/Time Received: 05/18/2009 11:45  
Received By: L Barrociere

**Field Determinations**

pH:  
Chlorine, residual:  
Conductivity:  
Temperature:  
Dissolved Oxygen:  
Other:  
Flow: CFS

TEST: Alkalinity, Total		METHOD: EPA 310.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Total Alkalinity	71	mg/L	3.8	10	M Chen	5/19/2009

TEST: Hardness, Calcium		METHOD: SM 3500-Ca D				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Calcium hardness	60	mg/L	0.7	1	P Leathers	5/19/2009

J - Estimated value between MDL and MQL  
MDL - Method Detection Limit  
MQL - Method Quantitation Limit  
U - Undetected



**STATE OF TENNESSEE  
DEPARTMENT OF HEALTH  
ENVIRONMENTAL LABORATORIES**

TDH: Lab Services JRL  
Lab Services - Jackson Regional Lab  
Jackson, TN 38301  
731-426-0686

TDH: Lab Services KRL  
Lab Services - Knoxville Regional Lab  
Knoxville, TN 37920  
865-549-5201

TDH: Lab Services NCL  
Lab Services - Nashville Central Lab  
Nashville, TN 37243  
615-262-6300


**Sent To:** Geoff Klein  
TDEC-DWS  
200 East Race St  
Knoxville, TN 37763

**Lab ID:** N00004525  
Nashville Central Laboratory

**Sampling Agency:** TDEC: Division of Water Supply

**Billing Code:** 327.39-12

This is to certify that the following results were determined using  
good laboratory practices and in accordance with federal or state  
approved methodologies.

  
\_\_\_\_\_  
Analytical Supervisor

**Lab-Sample Number:** N00004525001  
**Project Name:**  
**Sample Description:** KINGSTON WTP  
**Sampler Project Name:**  
**Project Site No.:** RAW  
**Station No.:**  
**Date/Time Collected:** 05/18/2009 08:35  
**Sampler's Name:** BRANDY LONG  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 05/18/2009 11:45  
**Received By:** L Barrociere

# Field Determinations

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	05/19/2009				A Wilson	5/19/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	A Wilson	5/19/2009
Barium	26	µg/L	2.5	5	A Wilson	5/19/2009
Beryllium	U	µg/L	0.11	1	A Wilson	5/19/2009
Cadmium	U	µg/L	0.41	1	A Wilson	5/19/2009
Chromium	2.1J	µg/L	2.0	5	A Wilson	5/19/2009
Cobalt	0.26J	µg/L	0.04	1	A Wilson	5/19/2009
Lead	0.83J	µg/L	0.10	1	A Wilson	5/19/2009
Manganese	40	µg/L	0.42	1	A Wilson	5/19/2009
Selenium	U	µg/L	1.3	5	A Wilson	5/19/2009
Thallium	1.1	µg/L	0.03	1	A Wilson	5/19/2009
Vanadium	U	µg/L	3.4	5	A Wilson	5/19/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.029	0.2	A Bass	5/20/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected

**Lab-Sample Number:** N00004525002  
**Project Name:**  
**Sample Description:** KINGSTON WTP  
**Sampler Project Name:**  
**Project Site No.:** FINISH  
**Station No.:**  
**Date/Time Collected:** 05/18/2009 08:40  
**Sampler's Name:** BRANDY LONG  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 05/18/2009 11:45  
**Received By:** L Barrociere

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	05/19/2009				A Wilson	5/19/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	A Wilson	5/19/2009
Barium	21	µg/L	2.5	5	A Wilson	5/19/2009
Beryllium	U	µg/L	0.11	1	A Wilson	5/19/2009
Cadmium	U	µg/L	0.41	1	A Wilson	5/19/2009
Chromium	U	µg/L	2.0	5	A Wilson	5/19/2009
Cobalt	0.078J	µg/L	0.04	1	A Wilson	5/19/2009
Lead	0.20J	µg/L	0.10	1	A Wilson	5/19/2009
Manganese	0.98J	µg/L	0.42	1	A Wilson	5/19/2009
Selenium	U	µg/L	1.3	5	A Wilson	5/19/2009
Thallium	0.40J	µg/L	0.03	1	A Wilson	5/19/2009
Vanadium	U	µg/L	3.4	5	A Wilson	5/19/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.029	0.2	A Bass	5/20/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected



**Lab-Sample Number:** N00004525003  
**Project Name:**  
**Sample Description:** ROCKWOOD WTP  
**Sampler Project Name:**  
**Project Site No.:** RAW  
**Station No.:**  
**Date/Time Collected:** 05/18/2009 09:20  
**Sampler's Name:** BRANDY LONG  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 05/18/2009 11:45  
**Received By:** L Barrociere

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals			METHOD: EPA 200.2			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	05/19/2009				A Wilson	5/19/2009

TEST: ICP-MS			METHOD: EPA 200.8			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	A Wilson	5/19/2009
Barium	36	µg/L	2.5	5	A Wilson	5/19/2009
Beryllium	U	µg/L	0.11	1	A Wilson	5/19/2009
Cadmium	U	µg/L	0.41	1	A Wilson	5/19/2009
Chromium	2.1J	µg/L	2.0	5	A Wilson	5/19/2009
Cobalt	0.13J	µg/L	0.04	1	A Wilson	5/19/2009
Lead	0.45J	µg/L	0.10	1	A Wilson	5/19/2009
Manganese	19	µg/L	0.42	1	A Wilson	5/19/2009
Selenium	U	µg/L	1.3	5	A Wilson	5/19/2009
Thallium	0.27J	µg/L	0.03	1	A Wilson	5/19/2009
Vanadium	U	µg/L	3.4	5	A Wilson	5/19/2009

TEST: Mercury			METHOD: EPA 245.1			
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.029	0.2	A Bass	5/20/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected

**Lab-Sample Number:** N00004525004  
**Project Name:**  
**Sample Description:** ROCKWOOD WTP  
**Sampler Project Name:**  
**Project Site No.:** FINISH  
**Station No.:**  
**Date/Time Collected:** 05/18/2009 09:25  
**Sampler's Name:** BRANDY LONG  
**County:** ROANE - 73  
**Sample Matrix:** Water  
**EFO:** Knoxville  
**Sampling Agency:** TDEC-DWS  
**Billing Code:** 327.39-12  
**Send Report To:** TDEC-DWS  
**Agency Invoiced:** TDEC-DWS  
**Priority Date:**  
**Date/Time Received:** 05/18/2009 11:45  
**Received By:** L Barrociere

**Field Determinations**

**pH:**  
**Chlorine, residual:**  
**Conductivity:**  
**Temperature:**  
**Dissolved Oxygen:**  
**Other:**  
**Flow:** CFS

TEST: Digestion Metals		METHOD: EPA 200.2				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Digestion Metals	05/19/2009				A Wilson	5/19/2009

TEST: ICP-MS		METHOD: EPA 200.8				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Arsenic	U	µg/L	0.93	5	A Wilson	5/19/2009
Barium	34	µg/L	2.5	5	A Wilson	5/19/2009
Beryllium	U	µg/L	0.11	1	A Wilson	5/19/2009
Cadmium	U	µg/L	0.41	1	A Wilson	5/19/2009
Chromium	U	µg/L	2.0	5	A Wilson	5/20/2009
Cobalt	0.097J	µg/L	0.04	1	A Wilson	5/19/2009
Lead	U	µg/L	0.10	1	A Wilson	5/19/2009
Manganese	1.6	µg/L	0.42	1	A Wilson	5/19/2009
Selenium	1.3J	µg/L	1.3	5	A Wilson	5/19/2009
Thallium	0.78J	µg/L	0.03	1	A Wilson	5/19/2009
Vanadium	U	µg/L	3.4	5	A Wilson	5/19/2009

TEST: Mercury		METHOD: EPA 245.1				
ANALYTE	RESULT	UNITS	MDL	MQL	ANALYZED BY:	DATE
Mercury	U	µg/L	0.029	0.2	A Bass	5/20/2009

J - Estimated value between MDL and MQL  
 MDL - Method Detection Limit  
 MQL - Method Quantitation Limit  
 U - Undetected